

INDEX MAPS.

T. 5N, R. 2E. 2nd Mer.

	200	200	199-201	199-201	199-201	199-201
203	6 221	5 218	4 214	3 210	2 207	1 199
	222	221	217	214	210	206
208	7 221	8 217	9 213	10 210	11 206	12 198
	222	221	217	213	209	206
202	18 220	17 216	16 213	15 209	14 205	13 198
	222	220	216	212	209	205
202	19 220	20 216	21 212	22 208	23 205	24 198
	223	219	215	212	208	204
202	30 219	29 215	28 211	27 208	26 204	25 197
	223	219	215	211	207	204
201	31 218	32 214	33 211	34 207	35 203	36 197
	195-196	195-196	195-196	195-196	195-196	195-197

T. 6N, R. 2E. 2nd Mer.

	231	230	230	230	229	229
132	6 230	5 237	4 233	3 230	2 236	1 229
	251	250	246	243	239	236
132	7 250	8 246	9 243	10 239	11 236	12 228
	261	249	246	242	239	235
132	18 249	17 245	16 242	15 238	14 235	13 228
	261	249	245	242	238	235
132	19 248	20 245	21 241	22 238	23 234	24 228
	252	248	245	241	237	234
231	30 248	29 246	28 241	27 237	26 234	25 227
	252	247	244	240	237	233
231	31 247	32 244	33 240	34 237	35 233	36 227
	225-226	225-226	225-226	225-226	225-227	225-227

(F) The figures on the lines refer to the page.

195

W^h Township N.^o. 5 North, Range N.^o. 2 East 2^r Mer. Indiana

South Boundary

West 1st Mile on Random between Town 4th 5 N. R. 2 E.
40.00 set tempf. $\frac{1}{2}$ mile post
80.00 set tempf. Mile post
Land hilly, timber Oak &c.

West 2^d Mile on Random between Town 4th 5 N. R. 2 E.
40.00 set tempf. $\frac{1}{2}$ Mile post
75.50 a Brook 75 lbs. wide C.P. South
80.00 set tempf. Mile post. (Description omitted)

West 3rd Mile on Random between Town 4th 5 N. R. 2 E.
40.00 set tempf. $\frac{1}{2}$ Mile post
60.00 a Spring run 6 lbs. wide C.P. S.
80.00 set tempf. Mile post.
Good farming land, timber same

West 4th Mile on Random between Town 4th 5 N. R. 2 E.
40.00 set tempf. $\frac{1}{2}$ Mile post
80.00 set tempf. Mile post. (Description omitted)

West 5th Mile on Random between Town 4th 5 N. R. 2 E.
9.00 a Creek 100 lbs. wide C.P. South
40.00 set tempf. $\frac{1}{2}$ Mile post
80.00 set tempf. Mile post.
Land the same, timber Oak, Beach, Poplar &c.

West 6th Mile on Random between Town 4th 5 N. R. 2 E.
40.00 set tempf. $\frac{1}{2}$ Mile post
71.25 fall south of the Town Corner. This mile over very
rich farming land, timber same, undg. spruce.

Variation 6. 10' East.

T^h 5 N - R^d 2 E. I.nd Mrs. Indiana

- East On true line S. boundary Sec. 31, T^h 5 N. R^d 2 E
 31.25 Set the q^r. Sec. post on true line from which
 a Sugar 12 in. dia. bran N 59 E 17 lbs. dist. of
 a Beech 6 " " N 12 E 23 " "
 71.25 Set a post Cor. to Sect. 31 & 32, from which
 a Beech, 10 in. dia. bran N 75 E. 17 lbs. dist. of
 a do 10 " " N 39 W 20 " "

- East On the South boundary of Sec. 32, T^h 5 N. R^d 2 E.
 40.00 Set the q^r. Sec. post on true line from which
 a Beech 10 in. dia. bran N 24 W 1 link dist. of
 a do 12 " " S 24 E 26 lbs. "
 80.00 Set a post Cor. to Sect. 32 & 33, from which
 a W. Oak 10 in. dia. bran S 81 E 28 lbs. dist. of
 a P. Oak 20 " " S 70 W 11 " "

- East On true line S. boundary of Sec. 33, T^h 5 N. R^d 2 E.
 40.00 Set the q^r. Sec. post on true line, from which
 a Hickory 10 in. dia. bran N 86 E 12 lbs. dist. of
 a W. Oak 12 " " S 12 E 22 " "
 80.00 Set a post Cor. to Sect. 33 & 34, from which
 a Beech 10 in. dia. bran N 23 E 4 lbs. dist. of
 a do 8 " " S 79 W 20 " "

- East On true line S. boundary Sec. 34, T^h 5 N. R^d 2 E
 40.00 Set the q^r. Sec. post on true line from which
 a Beech 20 in. dia. bran S 84 E 24 lbs. dist. of
 a Dogwood 8 " " N 68 W 22 " "
 80.00 Set a post Cor. to Sect. 34 & 35, from which
 a Sugar 10 in. dia. bran S 64 E 11 lbs. dist. of
 a Beech 12 " " N 67 W 6 " "

- East On true line S. boundary of Sec. 35, T^h 5 N. R^d 2 E

191

55 N - 122 E. T. Mer. Indiana

- 40.00 Set the q. Sec. post on true line from which
a Dogwood 6 in. dia. bran N 37° W 8 ft., dist. of
a Beech 6 " " N 83° W 15 "
- 80.00 Set a post Cor. to Sect. 35 & 36, from which
a Beech 6 in. dia. bran N 57° E 27 ft., dist. of
a W. Walnut 10 " " J 30 E 9 "

- East On true line S. boundary of Sec. 36, 55 N. 122 E.
- 40.00 Set the q. Sec. post on true line, from which
a W. Oak 19 in. dia. bran N 21° W 7 ft., dist. of
a Dogwood 5 " " N 80 E 43 "
- 80.00 to the Town Corner.

East Boundary. var. 5. 00' E.

- North On E. boundary of Sec. 36, 55 N. 122 E.
- 40.00 Set the q. Sec. post, from which
a Poplar 20 in. dia. bran N 45° W 23 ft., dist. of
a Beech 12 " " J 70 E 25 "
- 75.75 a Brook 10 ft. wide Cr. N. W.
- 80.00 Set a post Cor. to Sect. 35 & 36, from which
a Beech 20 in. dia. bran N 10 E 13 ft., dist. of
a Slo 11 " " N 57 E 11 "
- Sand / Broken timber Beech, Poplar &c.

North On E. boundary of Sec. 25, 55 N. 122 E.

- 23.70 a Sugar 10 in. dia.
- 40.00 Set the q. Sec. post, from which
a Beech 14 in. dia. bran N 15° W 30 ft., dist. of
a Slo 6 " " N 90° W 10 "
- 48.50 a Brook 20 ft. wide Cr. off.
- 60.00 a Gum 10 in. dia.
- 72.00 a Brook 20 ft. wide Cr. off.
- 80.00 Set a post Cor. to Sect. 24 & 25, from which

55 N. R.R.E. 2^d. Mer. Indiana

a Beech 28 in. dia. bran \$16 9¹¹/4 lbs. dist. of
a Sugar 10 " " " N88 E 9 " .
Land timber &c. same as on the last mile

North On E. boundary of Sec. 24, 55 N. R.R.E.
22.90 a Poplar 36 in. dia.
40.00 Set the q. Sec. post, from which
a Poplar 36 in. dia. bran South 18 lbs. dist. of
a Beech 6 " " " N63 E 4 " .
80.00 Set a post Cor. to Sec. 13 of 24, 55 N. R.R.E. from
which a Hickory 19 in. dia. bran N88 E 8 lbs. dist. of
a Sugar 8 " " " S65 W 14 " .
Land, timber &c. same as on the last mile.

North On E. boundary of Sec. 13, 55 N. R.R.E.
19.38 a Brook 50 lbs. wide C. S. 97
32.50 a Dlo 10 " " " S. E.
40.00 Set the q. Sec. post, from which
a Maple 8 in. dia. bran \$19 E 35 lbs. dist. of
a Beech 8 " " " S31 W 15 " .
80.00 Set a post Cor. to Sec. 12 of 13, from which
a Beech 8 in. dia. bran \$19 W 13 lbs. dist. of
a Dlo 8 " " " S89 E 13 " .
(Description omitted)

North On E. boundary of Sec. 12, 55 N. R.R.E.
40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bran N68 E 3 lbs. dist. of
a Dlo 8 " " " S8 E 33 " .
74.00 a Brook 10 lbs. wide C. S. E.
80.00 Set a post Cor. to Sec. 18 of 12, from which
a Beech 20 in. dia. bran \$6 E 50 lbs. dist. of
a Dlo 20 " " " S50 W 28 " .

55 N R2 E. 2^d Mer. Indiana

Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, 55 N. R2 E.

40.00 Set tempf. q. Sec. post, from which
at Beech 18 in. dia. bears 185°W 3 blks. dist. of
a do 6 " " 15°W 31 "

80.00 Set a post Cov. to Town 5th 6 N. Range 2nd E.

from which a Beech 28 in. dia. bears 185°E 23 blks. dist. of
a do 15 " " 183°W 28 "

Land, timber &c. same as on the last mile.

North Boundary

West 1st mile on Random between Town 5th 6 N. R2 E.

40.00 Set tempf. 1/2 mile post

80.00 Set tempf. Mile post

Land rolling, timber Beech, Poplar &c.

West 2^d mile on Random between Town 5th 6 N. R2 E.

40.00 Set tempf. q. Sec. post

65.00 a Brook 20 blks. wide Cr. S. off.

80.00 Set tempf. Mile post

Land brushy and hilly, timber the same

West 3rd mile on Random between 5th 6 N. R2 E

12.00 a Brook 25 blks. wide Cr. N. W.

39.50 Same 25 " " J. off.

40.00 Set tempf. q. Sec. post
66.30 a Brook 14 blks. wide Cr. - at the bottom of which
is soap stone

80.00 Set tempf. Mile post

Land timber &c. same as on the last mile

West 4th mile on Random between 5th 6 N. R2 E.

T5 N R2 E. I. Mer. Indiana

40.00 Set tempf. 1/2 mile post

80.00 Set tempf. Mile post

Land Good for farming, timber, Beech,
Sugar & Oak &c.

West 5th Mile On Random between T. 5 N. R2 E.

40.00 Set tempf. 1/2 mile post.

80.00 Set tempf. Mile post.

Land, timber &c. Same as on the last mile

West 6th Mile On Random betw. Town 5 N. R2 E.

26.00 at Brook 12 hrs. wide Cr. S.

40.00 Set tempf. q. Sec. post

63.57 Fall South of Town Corner

Land rich, timber, Sugar, Beech &c.

Variation 6. W. Co.

East On true line. S. boundary of Sec. 31, T6 N. R2 E.

23.57 Set the q. Sec. post on the true line, from which
a Beech 8 in. diam. bran N 39° 47' E. dist. of
a Dog 8 " " " 169 M 36 " "

63.57 Set a post Cor. to Sec. 31 & 32, T6 N. R2 E. from which
an Ironwood 6 in. diam. bran N 83° E 13' dist.
a Dogwood 8 " " " 144 M 5 " "

East On true line S. boundary of Sec. 30, T6 N. R2 E.

40.00 Set the q. Sec. post on true line, from which
a Sassafras 8 in. diam. bran S 80° E 27' dist.
a Beech 12 " " " 169 M 8 " "

80.00 Set a post Cor. to Sect. 30 & 33, T6 N. R2 E. from which
a Beech 12 in. diam. bran N 70° E 29' dist.
a Dog 12 " " " 11 M E 7 " "

20.

55 N R2 E. I. Mer. Indiana

East On true line S. boundary of Sec. 33, T6 N. R2 E.
40.00 Set the qt. Sec. post on true line, from which
a Beech 12 in. dia. bran N43°W21kr. dist. of
a Gum 12 " " N53°E9 " "
80.00 Set a post Cor. to Sec. 33 & 34, T6 N. R2 E., from which
a Beech 12 in. dia. bran N43°E13kr. dist. of
a Sugar 12 " " N71°W32 " "

East on true line, S. boundary of Sec. 34, T6 N. R2 E.
40.00 Set the qt. Sec. post on true line, from which
a W. Walnut 10 in. dia. bran N28°E9kr. dist. of
a Sugar 10 " " N59°E19 " "
80.00 Set a post Cor. to Sec. 34 & 35, T6 N. R2 E., from which
a Beech 20 in. dia. bran N59°E14kr. dist. of
a Do 10 " " N18°W29 " "

East On true line S. boundy. of Sec. 35, T6 N. R2 E.
40.00 Set the qt. Sec. post, from which
a Beech 12 in. dia. bran N28°W12kr. dist. of
a Do - " " N77°W37 " "
80.00 Set a post Cor. to Sec. 35 & 36, T6 N. R2 E., from which
a Dogwood 6 in. dia. bran N12°W21kr. dist. of
an Ironwood 6 " " N88°W20 " "

East On true line, S. boundary of Sec 36, T6 N. R2 E.
40.00 Set the qt. Sec. post on true line, from which
a Beech 10 in. dia. bran N11°W20kr. dist. of
a Do 10 " " N28°32 " "
80.00 to the Town Corner.

West Boundary var. 7.30' E.
North On E. boundary of Sec. 36, T5 N. R1 E.
30.50 a Brook 10kr. wide C. P. M. st.

S 5 N - R 2 E. 2^d Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bran S 79 W 6 1/2 hr. dist. of
a Dog 5 " " " N 21 E 13 " "
77.00 a Brook 10 hrs. wide C. S. off.
80.00 Set a post Cor. to Sect. 25 & 36, S 5 N. R 2 E, from which
a Beech 20 in. dia. bran S 50 W 25 hrs. dist. of
a Sugar 10 " " " N 53 E 26 " "
Over hilly rich land, timber Beech, Sugar, Poplar &c.

North On E. boundary of Sec. 25, S 5 N. R 2 E.

37.70 a Poplar 30 m. dia.

- 40.00 Set the q. Sec. post, from which
an Ash 12 in. dia. bran S 77 W 8 hrs. dist. of
a Sugar 8 " " " N 69 W 23 " "

46.70 a Beech 20 " "

60.20 a Spring run 10 hrs. wide C. S. N.W.

65.20 a Brook 12 hrs. wide C. S. N.W.

- 80.00 Set a post Cor. to Sect. 24 & 25, S 5 N. R 2 E, from
which a Beech 20 in. dia. bran N 2 E 19 hrs. dist. of
a Sugar 6 " " " N 47 W 28 " "

Land, timber &c. same as on the last mile

North On E. boundary of Sec 24, S 5 N. R 2 E.

36.00 a Brook 10 hrs. wide C. S. off.

- 40.00 Set the q. Sec. post, from which
a Walnut 6 in. dia. bran N 10 E 20 hrs. dist. of
a Beech 8 " " " N 10 W 15 " "

- 80.00 Set a post Cor. to Sect. 13 & 24, S 5 N. R 2 E, from which
a Dogwood 7 in. dia. bran N 41 E 21 hrs. dist. of
a Beech 6 " " " N 20 W 8 " "

Land, timber &c. same as on the last mile

North On E. boundary of Sec. 13, S 5 N. R 2 E.

203

55 N. R.R.E. 2^d Mer. Indiana

- 40.00 Set the gr. Sec. post, from which
a Beech 6 in. dia. bran S59°W11th. dist. of
a Dogwood 8 " " " N35E25 " "
80.00 Set a post Cor. to Sec. 12 & 13, 55 N. R.R.E., from which
a Sugar 20 in. dia. bran N69°34'Nth. dist. of
a Beech 10 " " " N17E11 " "
Land, timber &c. same as on the last mile
-

North On E. boundary of Sec. 12, 55 N. R.R.E.

- 40.00 Set the gr. Sec. post, from which
a Beech 10 in. dia. bran S38E24th. dist. of
a Dog 8 " " " N20E15 " "
80.00 Set a post Cor. to Sec. 11 & 12, 55 N. R.R.E., from which
a Poplar 8 in. dia. bran N70E31th. dist. of
a Dog 10 " " " N36E11 " "
Land, timber &c. same as on the last mile
-

North On E. boundary of Sec. 1, 55 N. R.R.E.

- 40.00 Set the gr. Sec. post, from which
a Beech 10 in. dia. bran N51W17th. dist. of
an Elm 12 " " " N66E18 " ".
55.00 a Brook 15th. wide Cr. W.
80.00 Set a post Cor. to Town 5 of 6th Range 10th E., from which
a Beech 12 in. dia. bran N50W7th. dist. of
a Dog 24 " " " N16E26 " "
Good land, timber: Ash, Walnut, Poplar &c. underlaid by
Spicerwood & Leatherwood.

Surveyed in 1810 by Arthur Hinck, D.S.

Subdivision.

North Between Sec. 35 & 36, 55 N. R.R.E.

- 40.00 Set the gr. Sec. post, from which
a Dogwood 6 in. dia. bran N78E31th. dist. of

224

75 N. R.R.E. 2^d. Mer. Indiana

- a Poplar 10 in. dia. bran S 87° 47' 15" th. dist.
60.00 a Brook 12 in. wide Cr. N.
78.00 a do 30 lks " " S 91°.
80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
an Elm 8 in. dia. bran N 5° 47' 24" th. dist. of
a Do 10 " " " S 20° E 38" "
Land hilly, timber Sugar, Beech, Oak & Hickory.
-

- East On Random between Sec. 25 & 36, 75 N. R.R.E.
1.00 a Brook 30 lks. wide Cr. S. W.
40.00 Set tempf. of. Sec. post
80.40 Intersected the E. boundary 12 lks. S. of corner
Land, timber &c. same as on the last mile
-

- West On true line between Sec. 25 & 36, 75 N. R.R.E
40.20 Set q. of. Sec. post at avg. dist. on true line, from
which an Elm 10 in. dia. bran S 83° 47' 17" th. dist. of
a Beech 10 " " " S 49° E 27" ".
80.40 to Sec. Corner,
-

- North Between Sec. 25 & 26, 75 N. R.R.E
35.00 a Poplar 30 in. dia.
40.00 Set the q. of. Sec. post, from which
a Beech 20 in. dia. bran N 27° E 38 lks. dist. of
a Do 18 " " " S 10° E 26" "
80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
a Dogwood 8 in. dia. bran N 68° E 17 lks. dist. of
a Do 7 " " " S 9° E 26" ".
Land, timber &c. same as on the last mile
-

- East on Random between Sec. 24 & 25
40.00 Set tempf. of. Sec. post
80.00 Intersected the E. boundf. S. of the corner.

205

95 N - RD E. I. Mer. Indiana

Land timber &c. same as on the last mile

West On true line between Sect. 24 & 25
40.00 Set q. Sec. post at av. dist. on true line, from which
a Beech 6 in. dia. bran. 133 ft 16 lbs. dist. of
a do 10 " " " 155 ft 17 " "
80.00 to Sec. Cor.

North Between Sect. 23 & 24, 95 N. RD E.
40.00 Set the q. Sec. post, from which
an Ironwood 6 in. dia. bran. 110 ft 19 lbs. dist. of
a Sycamore 24 " " " 146 ft 1 " "
43.00 a Brook 5 lbs. wide C. S. off.
80.00 Set a post Cor. to Sect. 13, 14, 23 & 24, from which
an Elm 10 in. dia. bran. 110 ft 10 lbs. dist. of
a Beech 7 " " " 124 ft 8 " ".
Land hilly, timber the same

East On Random between Sect. 13 & 24, 95 N. RD E.
16.00 a Brook 10 lbs. wide C. S. South
40.00 Set temp. q. Sec. post
55.00 a Brook 40 lbs. wide C. S. P.W.
80.50 Intersected the E. boundary 40 lbs. S. of corner
Land timber &c same as on the last mile

West On true line between Sect. 13 & 24, 95 N. RD E.
40.25 Set q. Sec. post on true line at av. dist. from which
a Beech 6 in. dia. bran. 135 ft 22 lbs. dist. of
a do 12 " " " 149 ft 38 " "
80.50 to Sec. Corner.

North Between Sect. 13 & 14, 95 N. RD E.
20.00 a Brook 10 lbs. wide C. S. P.W.

S5 N - R2 E. 2nd Mer. Indiana

- 40.00 Set the qt. Sec. post, from which
a B. Oak 10 in. dia. bran N88°E 10 lvs. dist.
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
a Poplar 12 in. dia. bran N88°E 19 lvs. dist. of
a Sugar 6 " " N37°E 15 " "
Land timber &c. same as on the last mile
-

- East On Random between Sec. 12 & 13, S5 N. R2 E.
17.50 a Brook 12 lvs. wide C.W.S.
40.00 Set temp'ty. qt. Sec. post
80.76 Intersected the E. boundary 12 lvs. S. of corner
Land timber &c. same as on the last mile
-

- West On true line, between Sec. 12 & 13, S5 N. R2 E.
40.38 Set the qt. Sec. post at avg. dist. from which
a Sugar 6 in. dia. bran N50°W 12 lvs. dist. of
a W. Ash 7 " " N19°E 10 " "
80.76 to Sec. Corner.
-

- North Between Sec. 11 & 12, S5 N. R2 E.
40.00 Set the qt. Sec. post, from which
a Hickory 6 in. dia. bran East 10 lvs. dist.
80.00 Set a post Cor. to Sec. 11 & 12, from which
a Beech 6 in. dia. bran N49°W 4 lvs. dist. of
a Sugar 20 " " S22°E 21 " "
Over very hilly Oak timbered land
-

- East On Random between Sec. 11 & 12, S5 N. R2 E.
40.00 Set temp'ty. qt. Sec. post
79.95 Intersected the E. boundary 12 lvs. S. of corner
Land, timber &c. same as on the last mile
-

- West On true line between Sec. 11 & 12, S5 N. R2 E.

55 N - R. 2 E. 2nd Mer. Indiana 207

39.97 at qt. Sec. post at av. dist. from which
 a Beech 20 in. dia. bran. N 45 E 25 lbr. dist. of
 a do 8 " " N 30 W 15 " "
 79.95 to Sec. Corner.

North Between Sec. 1 & 2, 55 N. R. 2 E. 2nd Mer.
 40.00 Set the qt. Sec. post, from which
 a Dogwood - in dia. bran. N 30 E 11 lbr. dist. of
 a Beech 6 " " J 35 W 14 " "
 74.50 a Sugar 20 " .
 82.75 Intersected the N. boundary 15 lbr. W. of corner
 Set a post cor. to Sec. 1 & 2, from which
 an Ironwood 6 in. dia. bran. S 54 W 6 lbr. dist. of
 a Beech 8 " " N 16 W 20 " "
 Over good farming land, timber Poplar, Beech &c.

North Between Sec. 34 & 35, 55 N. R. 2 E.
 9.00 a Brook 75 lbr. wide C. S. E.
 35.00 a do 15 lbr. " . S. W.
 40.00 Set the qt. Sec. post, from which
 a Beech 20 in. dia. bran. N 45 E. 18 lbr. dist. of
 a Sugar 10 " " S 87 W 16 " .
 60.20 a Beech 15 " "
 80.00 Set a post cor. to Sec. 26, 27, 34 & 35, from which
 a Sugar 10 in. dia. bran. S 39 E 13 lbr. dist. of
 a do 10 " " N 36 W 2 " .
 Hilly land, timber Sugar, Beech &c.

East On Random between Sec. 26 & 35, 55 N. R. 2 E.
 40.00 Set temp. qt. Sec. post
 79.35 Intersected the N & S. line 10 lbr. S. of the corner.
 Land hilly, timber Oak, hickory &c

75 N - R2E, 2^o Mer. Indiana

West On true line between Sec. 26 & 35, 75 N. R2E
 39.67 ft. dist. of. Sec. post at av. dist. from which
 a Beech 8 in. dia. bran N61°47'26" lon. dist. of
 a do 8 " " N52°E 9 " "
 79.35 to Sec. corner.

North Between Sec. 26 & 27, 75 N. R2E. 2^o Mer.

40.00 Set the q. Sec. post, from which
 an Elm 6 in. dia. bran N19°47'9" lon. dist. of
 a Beech 6 " " N61°E 17 " "

65.00 a W. Oak 20 in. dia.

80.00 Set a post Crt to Sec. 22, 23, 26 & 27, from which
 a Beech 12 in. dia. bran S15°E 70" lon. dist. of
 a do 10 " " S10°W 26 " "

Land good for farming, timber Beech, Poplar, etc.

East On Random between Sec. 23 & 26, 75 N. R2E.

20.00 a Brook 40 ft. wide Cr. N.W.

36.00 Same 40 ft. wide S. W.

40.00 Set temp. q. Sec. post

79.10 intersected the R & S line 20 ft. S. of the corner.
 Land, timber &c. same as on the last mile.

West On true line between Sec. 23 & 26, 75 N. R2E.

39.55 Set q. Sec. post at av. dist. on true line, from which
 a W. Oak 20 in. dia. bran S77°W 22" lon. dist. of
 a do 19 " " S19°E 21 " "

79.10 to Sec. corner.

North Between Sec. 22 & 23, 75 N. R2E

40.00 a Brook 20 ft. wide Cr. N.W.

40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran S76°E 74" lon. dist. of

20

55 N - R. 2 E. 2nd Mer. Indiana

at Ironwood 8 N 30 E 2 3/4 lbs. dist.

- 80.00 Set a post Cor. to Sect. 14, 15, 22 & 23, from which
 a W. Oak 8 in. dia. bran 167 E 9 lbs. dist. of
 a Beech 8 " " N 68 9 M 10 " "
 Land hilly, timber same.
-

East On Random between Sect. 14 & 23, 55 N. R. 2 E.

33.20 at Brook 10 lbs. wide E. S.

40.00 Set tempf. q. Sec. post

79.45 Intersected the N & S. line 12 1/2 lbs. N. of the corner
 Land timber &c. same as on the last mile

West On true line, between Sect. 14 & 23, 55 N. R. 2 E.

39.72 1/2 Set q. Sec. post, from which

a W. Oak 10 in. dia. bran N 25 9 M 11 lbs. dist. of
 a Chestnut 12 " " S 85 E 19 " "

79.45 to Sec. corner.

North Between Sect. 14 & 15, 55 N. R. 2 E

40.00 Set the q. Sec. post, from which

at Beech 10 in. dia. bran S 27 9 M 7 lbs. dist. of
 a Sto 8 " " N 47 E 22 " "

80.00 Set a post Cor. to Sect. 10, 11, 14 & 15, from which
 a W. Oak 20 in. dia. bran N 87 9 M 14 lbs. dist. of
 a Mulberry 10 " " N 15 E 38 " "

Land timber &c. same as on the last mile

East On Random between Sect. 14 & 23, 55 N. R. 2 E.

40.00 Set tempf. q. Sec. post.

79.80 Intersected the N & S. line 30 lbs. N. of the corner
 Land level, timber Oak, Hickory, Beech &c.

West On true line between Sect. 14 & 23, 55 N. R. 2 E.

S5 N. R2 E. 2nd Mer. Indiana

- 39.90 Set q. Sec. post at adj. dist. on true line from which
a W. Oak 10 in. diam. bran S76°W 5 lks. dist. &
a h. Oak 20 " " " N39°W 16 " .
79.80 to Sec. Corner
-

North Between Sec. 10 & N. S5 N. R2 E.

- 40.00 Set the q. Sec. post, from which
a Sugar 24 in. diam. bran S34°W 43 lks. dist. of
a Beech 12 " " " N80°E 29 " .
80.00 Set a post cor. to Sec. 2, 3, 10 & N, from which
a Beech 20 in. diam. bran N48°E 27 lks. dist. of
a Dogwood 5 " " " N31°W 20 " .
Land, timber &c. same as on the last mile
-

East On Random between Sec. 2 & N. S5 N. R2 E.

- 40.00 Set temp. q. Sec. post
79.92 Intersected the N & S. line 80 lks. N. of the corner.
Land timber &c. same as on the last mile.
-

West On true line between Sec. 2 & N. S5 N. R2 E.

- 39.96 Set q. Sec. post at adj. dist. on true line, from which
a Beech 8 in. diam. bran N17°W 17 lks. dist. of
a Hickory 18 " " " S2E17 " .
79.92 to Sec. corner.
-

North Between Sec. 2 & 3, S5 N. R2 E. 2nd Mer.

- 3.00 a Brook 10 lks. wide C.S. W.
26.50 a slo. 10 lks. " " " N.W.
40.00 Set the q. Sec. post, from which
a Sugar 6 in. diam. bran S11°E 10 lks. dist. of
a Beech 9 " " " N88°E 22 " .
76.50 a Brook 40 lks. wide C.S. W.
81.62 Intersected the N. Boundary 208 lks. E. of post

24

15^N R2^E. 2nd Mer. Indiana

Set a post Cor. to Sec. 2 & 3, from which
a Beech 6 in. dia. bran 13' W 7' Lbs. dist. of
a Slo 5 " " 148 E 4 "
Land timber &c. same as on the last mile

North Between Sec. 33 & 34, 15^N, R2^E.

40.00 Set the q. Sec. post, from which
a B. Walnut 20 in. dia. bran South 95 lbs. dist. of
80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 10 in. dia. bran 14 E 6' Lbs. dist. of
a Slo 24 " " 182 W 36 "
This mile over good rich land, timber Poplar
ash, Beech &c.

East On Random between Sec. 27 & 34, 15^N, R2^E.

40.00 Set temp. q. Sec. post
73.00 a Brook 50 Lbs. wide Cr. S.
80.55 Intersected the 17th S. line 48 Lbs. N. of the corner
Land rolling, timber same as last mile

West On true line between Sec. 27 & 34, 15^N, R2^E

40.27^{1/2} Set q. Sec. post at adj. dist. on true line from which
an Elm 10 in. dia. bran 115 W 13 Lbs. dist. of
a Beech 10 " " 183 E 19 "
80.55 to Sec. corner.

North Between Sec. 27 & 28, 15^N, R2^E.

40.00 Set the q. Sec. post, from which
a Dogwood 6 in. dia. bran 115 E 10 Lbs. dist. of
a Hickory 6 " " 179 W 19 " "
80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 20 in. dia. bran 151 W 13 Lbs. dist. of
a Slo 20 " " 109 W 27 " "

912

S5 N. R2 E. 2nd Mer. Indiana

Sand hilly, timber same as on the last mile

East On Random between Sec. 22 & 27

40.00 Set tempf. q. Sec. post

54.00 a Spring Cr. st.

67.00 a Brook 10 ltrs. wide Cr. S. E.

76.00 a do 50 " " South

87.20 Intersected the N.Y.S. line 12 ltrs. N. of corner
Sand timber &c. Same as on the last mile

West On true line between Sec. 22 & 27, S5 N. R2 E.

40.10 Set by Sec. post at avg. dist. on true line from which
a Beech 10 in. dia. bran J69 E 26 ltrs. dist. of
a do 20 " " J56 M 22 " "

80.20 to Sec. corner

North Between Sec. 21 & 22, S5 N. R2 E.

30.00 a Pine ridge Cliff of rocks

33.00 a Brook 50 ltrs. wide Cr. S. W.

40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bran J26 M 5 ltrs. dist. of
a do 12 " " M69 E 18 " .

45.00 Same brook 50 ltrs. wide Cr. S. E.

54.00 Same 50 " " J97

74.00 Same 50 " " S.E. high cliff of rocks

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Mulberry 6 in. dia. bran M9 E 20 ltrs. dist. of
a Beech 24 " " J76 23 " .

Over rolling land, timber Oak, Beech &c.

East On Random between Sec. 15 & 22

40.00 Set tempf. q. Sec. post

66.50 a Brook 12 ltrs. wide Cr. S. W.

55 N. R.R.E. I^o. Mer. Indiana ²¹³

80.00 Intersected the N.W.S. line 20 $\frac{1}{2}$ ft. N. of corner
Land rich & rolling

West On true line between Sec. 15 & 22

40.00 Set q. Sec. post, at av. dist. on true line from which
an Elm 10 in. dia. bran N44W 4 lbs. dist. of
a Hickory 8 " " " N51E6 " "

80.00 to Sec. corner.

North Between Sec. 15 & 16, 55 N. R.R.E.

40.00 Set the q. Sec. post, from which
a Peach 10 in. dia. bran N11W 13 lbs. dist. of
a Sugar 10 " " " S37W16 " "

57.00 at Brook 10 lbs. wide C. 9. 91.

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
an Ironwood 8 in. dia. bran N84E9 lbs. dist. of
a Do 6 " " " N29W19 " "
Over hilly land, timber Beech, Poplar, underg. do.
Beech, Dogwood &c.

East Out Random between Sec. 10 & 15

40.00 Set temp. q. Sec. post

80.00 Intersected the N.W.S. line 8 $\frac{1}{2}$ ft. N. of corner
Land, timber &c. same as on the last mile

West On true line between Sec. 10 & 15

40.00 Set q. Sec. post at av. dist. from which
a Hickory 12 in. dia. bran N45W 2 lbs. dist. of
a Dogwood 6 " " " N72-20 " "

80.00 to Sec. corner.

North Between Sec. 9 & 10, 55 N. R.R.E.

40.00 Set the q. Sec. post, from which

S5 N R2 E. 2^d. Mr. Indiana

a Beech - in. dia. bran 180 ft 21 in. dist. of
 an Elm 6 " " 133 ft 11 " "
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a sugar 6 in. dia. bran 144 ft 8 in. dist. of
 a Beech 8 " " 113 ft 11 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 3 & 10
 18.00 a Brook 15 ltrs. wide S. E. N. W.
 40.00 Set tempf. of Sec. post
 80.00 Intersected the N.W. line 10 ltrs. N. of corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 3 & 10, S5 N R2 E.
 40.00 Set the qf. Sec. post, at avg. dist. from which
 a sugar 12 in. dia. bran 177 ft 22 in. dist. of
 a Dogwood 6 " " 116 ft 5 " "
 80.00 to Sec. corner.

North Between Sec. 3 & 4, S5 N R2 E.
 1.00 a Brook 20 ltrs. wide Course S. E.
 40.00 Set the qf. Sec. post, from which
 an Ironwood 6 in. dia. bran 125 ft 15 in. dist. of
 a Beech 20 " " 16 ft 27 " "
 47.00 a Brook 40 ltrs. wide C. S. N. W.
 81.75 Intersected the N. boundary 175 ltrs. E. of the
 corner, Set a post Cor. to Sec. 3 & 4, from which
 a Beech 10 in. dia. bran 118 ft 10 in. dist. of
 a sugar 10 " " 13 ft 20 " "
 Land timber &c. same as on the last mile.

North Between Sec. 32 & 33, S5 N R2 E.
 40.00 Set the qf. Sec. post, from which

215

55 N R 2 E. 2nd Mer. Indiana

- in a brook 50 ly. S. W.
40.00 Set the qt. Sec. post, from which
a Lycamore 10 in. dia. bran 160 E 26 ly. dist.
80.00 Set a post Cor. to Sect. 28, 29, 32 & 33, from which
a Hickory 10 in. dia. bran 137 E 15 ly. dist. of
a Beech 38 " " N 78 W 16 " "
Land very hilly, timber Oak, Hickory, Beech &c.
-

- East On Random between Sect. 28 & 33, 55 N. R 2 E.
40.00 Set temp. qt. Sec. post
43.00 a Brook 50 ly. wide Cr. S.
79.75 Intersected the N & S. line 40 ly. S. of corner.
Land timber &c. same as on the last mile
-

- West On true line between Sect. 28 & 33, 55 N. R 2 E.
39.87 $\frac{1}{2}$ Set qt. Sec. post at avg. dist. on true line from which
a Beech 6 in. dia. bran 170 W 44 ly. dist. of
a Sugar 12 " " 125 E 11 " "
79.75 to the Sec. corner.
-

- North Between Sect. 28 & 29, 55 N. R 2 E.
33.90 a W. Oak 28 in dia.
40.00 Set the qt. Sec. post, from which
a Dogwood 6 in. dia. bran 134 W 34 ly. dist. of
a Dlo 5 " " N 51 W 17 " "
80.00 Set a post Cor. to Sect. 20, 21, 28 & 29, from which
a Beech 8 in. dia. bran 149 E 4 ly. dist. of
a Dlo 6 " " N 50 W 14 " "
Land, timber &c. same as on the last mile
-

- East On Random betw. Sect. 21 & 28, 55 N. R 2 E.
40.00 Set temp. qt. Sec. post
42.50 a Brook 50 ly. wide Cr. S.
65.00 a Dlo 9 ly. " " S. W.

S5 N R2 E. I.C. Mer. Indiana

80.00 Intersected the N & S. line 20th S. of the corner
Land timber &c. same as on the last mile

West On the tree line betw. Sec. 21 & 28, S5 N, R2 E.
40.00 Set q. Sec. post at av. dist. from which
a Beech 6 in. dia. bran. N 68° E 9th dist. of
a loc. 8 " " " J15 W 17 " "
80.00 to Sec. Corner.

North Between Sec. 20 & 21, S5 N, R2 E
35.00 a Brook 10th wide C. S.
40.00 Set the q. Sec. post, from which
a Beech 24 in. dia. bran. N 23° E 10th dist. of
a Chestnut 12 " " " J3 E 29 " "
80.00 Set a post Corner to Sec. 16 & 17, 20 & 21, from which
a Beech 24 in. dia. bran. N 80° E 14th dist. of
a Sugar 8 " " " J21 W 25 " "
Land timber &c. same

East On Random between Sec. 16 & 21, S5 N, R2 E.
37.25 a Brook 50th wide C. S.
40.00 Set temp. q. Sec. post
64.00 a Brook 10th wide C. S. J. 47.
79.00 Intersected the N & S. line, 20th S. of the corner.

West On tree line between Sec. 16 & 21, S5 N, R2 E.
39.50 Set q. Sec. post at av. dist. from which
a Beech 40 in. dia. bran. N 12° W 13th dist. of
a Sugar 6 " " " J34 W 3 " "
79.00 to Sec. Corner.

North Between Sec. 16 & 17, S5 N, R2 E.
40.00 Set the q. Sec. post, from which

55 N - R2E. T² Mer. Indiana 217

a Beech 10 in. dia. bears N 5 E. 35 lvs. dist. of
This post stands on the N. side of a brook 10 lvs.
Course N. E.

59.50 a Brook 12 lvs. wide Course E.

80.00 Set a post Cor. to Sec. 16, 17, 8 & 9, from which
a Beech 6 in. dia. bears N 16 W 7 lvs. dist. of
a Do 12 " " " East 15 " "
Land good for farming, timber the same

East On Random between Sec. 9 & 16, 55 N. R2E.

34.00 a Brook 50 lvs. wide C. S. W. on E. side Pine

40.00 Set temply. q. Sec. post

79.84 Intersected the N. S. line 82 lvs. S. of the corner.
Land, timber &c. same as on the last mile.

West On true line between Sec. 9 & 16, 55 N. R2E.

39.92 Set q. Sec. post at apd dist. out true line from which
a Beech 6 in. dia. bears N 16 W 8 lvs. dist. of
a Maple 7 " " " N 44 W 4 " "

79.84 to Sec. corner.

North Between Sec. 8 & 9, 55 N. R2E. T² Mer.

40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears N 13 E 7 lvs. dist. of
a Do 8 " " " N 14 E 16 " "

58.00 a Chestnut 30 in. dia.

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a Sugar 10 in. dia. bears N 30 W 7 3 lvs. dist. of
an Ash 30 " " " N 5 W 27 " "

Land, timber &c. same as on the last mile

East On Random between Sec. 4 & 9, 55 N. R2E.

1.50 a Brook 12 lvs. wide C. S.

1

55 N - R.R. E. Ind. Mer. Indiana

- 40.00 Set temp^{ly} qf. Sec. post
 43.00 a Brook 10 hr. wide Cr. S. E.
 48.00 a do 40 hr. " " South
 75.00 a do 12 hr. " " S. W.
 79.10 Intersected the N.W. line 79 hr. S. of the corner
 Land, timber &c. same as on the last mile.
-

- Met Ontario line between Sec. 45 & 55 N. R.R.E
 39.55 Set qf. Sec. post, at avg. dist. from which
 a Sugar 10 in. dia. bran N 68 W 7 hr. dist. of
 a Beech 12 " " " 143 E 16 " "
 79.10 to Sec. Cov.
-

- North Between Sec. 45, 55 N. R.R.E
 1.00 a Brook 10 hr. wide Cr. S. E.
 40.00 Set the qf. Sec. post, from which
 a Beech 6 in. dia. bran N 63 W 9 hr. dist. of
 a do 9 " " " N 11 W 18 " "
 82.35 Intersected the N. boundary 4.54 hr. E. of the
 corner, set a post Cov. to Sec. 45, from which
 a Sugar 10 in. dia. bran N 65 W 16 hr. dist. of
 an Ironw. 6 " " " 157 E 22 " "
 Land timber &c. same as on the last mile
-

- North Between Sec. 31 & 32, 55 N. R.R.E
 8.00 a Spring run 5 hr. wide Cr. S. E.
 30.00 a Spring East
 40.00 Set the qf. Sec. post, from which
 a Sugar 8 in. dia. bran N 76 E 25 hr. dist. of
 a do 10 " " " N 89 W 23 " "
 80.00 Set a post Cov. to Sec. 29, 30, 31 & 32, from which
 a Beech 12 in. dia. bran N 70 E 8 hr. dist. of
 a do 12 " " " 117 E 32 " "

55 N - R.R. E. I. Mer. Indiana

219

Good farming land, timber Poplar, Beech,
Ash &c. undergrowth Spice.

East On Random, between Sec. 29 & 32, 55 N. R.R.E.
40.00 left tempy. of. Sec. post
50. 50 a Brook 10 ltrs. wide Cr. East
79. 85 Intersected the N.Y.S. line 12 ltrs. N. of the corner
Land timber &c. same as on the last mile

West On true line between Sec. 29 & 32, 55 N. R.R.E.
39. 92 $\frac{1}{2}$ lft of. Sec. post at average dist., from which
a Hickory 12 in. diam. bran N 60° W 10 ltrs. dist. of
a Beech 20 " " " 180° E 14 " "
79. 85 to Sec. corner.

North Return Sec. 29 & 30, 55 N. R.R.E.
34.00 a Beech 20 in. diam. bran
40.00 left the of. Sec. post, from which
a Beech 6 in. diam. bran N 7° W 10 ltrs. dist. of
a Slo. 20 " " " 147° E 20 " "
80.00 left a post cor. to Sec. 19, 20, 29 & 30, from which
a Sugar 10 in. diam. bran N 21° E 17 ltrs. dist. of
a Beech 6 " " " 199° W 4 " "
Land, timber &c. same as on the last mile

East on Random between Sec. 19 & 29, 55 N. R.R.E.
40.00 left tempy. of. Sec. post,
79. 85 Intersected the N.Y.S. line 30 ltrs. N. of the corner
Land timber &c. same as on the last mile

West On true line between Sec. 20 & 29, 55 N. R.R.E.
39. 92 $\frac{1}{2}$ lft of. Sec. post, at average dist., from which
a Beech 10 in. diam. bran N 78° E 7 ltrs. dist. of

75 N. R. 2 E. 2^d Mer. Indiana

a Beech 12 in. dia. bran N 60° 47' 15" lhr. dist. of
79.85 to Section Corner.

North Between Sec. 19 & 20, 75 N. R. 2 E. 2^d Mer.

40.00 Set the qt. Sec. post, from which
a Beech 16 in. dia. bran N 28° 07' lhr. dist. of
a Dogwood " " " N 15° 47' 9" "

40.00 a Spring run Course W.

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bran N 99° 21' lhr. dist. of
a Do 12 " " " N 35° 10" "

Land timber &c. same as on the last mile

East On Random between Sec. 17 & 20, 75 N. R. 2 E.

40.00 Set tempf. qt. Sec. post

79.92 Intersected the N. S. line 35 lhr. N. of the corner.
Land timber &c. same as on the last mile.

West On true line between Sec. 17 & 20, 75 N. R. 2 E.

39.96 Set qt. Sec. post, at average dist. from which
a Dogwood 6 in. dia. bran N 35° 44' lhr. dist. of
a Do 6 " " " N 64° 27" "

79.92 to Sec. Corner.

North Between Sec. 17 & 18, 75 N. R. 2 E. 2^d Mer.

40.00 Set the qt. Sec. post, from which
an Ashwood 8 in. dia. bran N 15° 47' 9" lhr. dist. of
a Gum 20 " " " N 89° 17" "

50.00 a W. Oak 20 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a Walnut 15 in. dia. bran N 15° 47' 16" lhr. dist. of
a Sugar 5 " " " N 35° 8' 9" "

Land timber &c. same as on the last mile.

55 N - R.R.E. Ind Mer. Indiana

223

East On Random between Sec. 8 & 17, 55 N. R.R.E.
 40.00 Set tempf. q. Sec. post
 64.00 a Spring run 12 hrs. wide C.S.
 79.93 Intersected the N.Y.S. line 30th N. of the corner.
 Land rich, timber Sugar, Beech, Walnut &c.

West On true line between Sec. 8 & 17, 55 N. R.R.E.
 39.96^{1/2} Set the q. Sec. post at average dist., from which
 a Sugar 10 in. dia. bran N 39° 9' 16" lbs. dist. of
 an Elm 10 " " " 31° 17' 23" "
 79.93 to Sec. corner.

North Between Sec. 7 & 8, 55 N. R.R.E.
 40.00 Set the q. Sec. post, from which
 a Sugar 8 in. dia. bran N 19° 44' 11" lbs. dist. of
 a Beech 20 " " " N 66° 8' 26" "
 80.00 Set a post Cov. to Sec. 5, 6, 7 & 8, from which
 a Sassafras 8 in. dia. bran N 67° 37' 16" lbs. dist. of
 a Beech 20 " " " 186° 8' 28" "
 Land timber &c. same as on the last mile

East On Random between Sec. 5 & 8, 55 N. R.R.E.
 40.00 Set tempf. q. Sec. post
 79.75 Intersected the N.Y.S. line 72th N. of the corner
 Land timber &c. same as on the last mile

West On true line between Sec. 5 & 8, 55 N. R.R.E.
 39.87^{1/2} Set q. Sec. post at average dist. from which
 a Beech 10 in. dia. bran N 66° 11' 14" lbs. dist. of
 a Loc 6 " " " 152° 8' 11" "
 79.75 to the Sec. Cov.

North Between Sec. 5 & 6, 55 N. R.R.E.

55 N R 2 E. Ind. Mer. Indiana

- 40.00 Set the q^r. Sec. post, from which
an Elm 12 in. diam. bran N 54° W 17 lbs. dist. of
a Sugar 10 " " " S 23° W 24 " "
80.95 Intersected the N. boundary 525 ft. E. of the
Corner - Set a post Cor. to Sect. 5 1/2, from which
a Beech 6 in. diam. bran N 40° W 7 lbs. dist. of
a Do - " " " S 88° E 7 " "
Land rich and rolling.
-

- West Between Sect. 6 1/2, 55 N. R 2 E. Ind. Mer.
40.00 Set the q^r. Sec. post, from which
a Beech 10 in. diam. bran S 53° W 5 lbs. dist. of
a Hickory 10 " " " N 74° W 9 " "
69.25 Intersected the W. boundary 70 ft. S. of the corner
Set a post Cor. to Sect. 6 1/2, from which
a Sugar 10 in. diam. bran S 50° W 8 lbs. dist. of
a Beech 8 " " " S 70° E 11 " "
Land rich, timber Sugar, Beech &c. under ^{the} Spice.
-

- West Between Sect. 7 1/2, 55 N. R 2 E.
27.80 a W. Ash 20 in. diam.
40.00 Set the q^r. Sec. post, from which
a Beech 20 in. diam. bran N 48° W 6 lbs. dist. of
a Do 20 " " " N 66° E 20 " "
69.50 Intersected the W. boundary 66 ft. S. of corner
Set a post Cor. to Sect. 7 1/2, from which
a Sugar 20 in. diam. bran N 59° W 32 lbs. dist. of
a Beech 12 " " " S 33° E 11 " "
Land rich and level.
-

- West Between Sect. 18 & 19, 55 N. R 2 E.
22.50 a Beech 20 in. diam.
40.00 Set the q^r. Sec. post, from which

223

55 N. R.R. E. I. Mer. Indiana

- a Beech 6 in. diam. bran N 26 E 5 lbs. dist. of
 a do 10 " " " 186 ft 32 " "
 58.20 a Brook 12 lbs. wide Cr. S. 19.
 70.55 Intersected the W. boundary 43 lbs. S. of the corner
 Set a post Cov. to Sect. 18 & 19, from which
 a Beech 24 in. diam. bran N 37 E 6 lbs. dist. of
 a do 6 " " " 152 ft 33 " .
 Over hilly land, timber Oak and Hickory
-

- West Between Sect. 19 & 30, 55 N. R.R. E.
- 40.00 Set the q. Sec. post, from which
 a Beech 18 in. diam. bran N 53 E 19 lbs. dist. of
 a do 20 " " " 172 ft 28 " "
 70.95 Intersected the W. boundary 18 lbs. S. of the corner
 Set a post Cov. to Sect. 19 & 30, from which
 a Dogwood 6 in. diam. bran N 68 E 4 lbs. dist. of
 a Beech 20 " " " N 73 E 14 " "
 Land rich & level.
-

- West Between Sect. 30 & 31, 55 N. R.R. E.
- 35.00 a Spring run Cr. S. 19.
 40.00 Set the q. Sec. post, from which
 a sugar 12 in. diam. bran N 57 E 16 lbs. dist. of
 a W. Oak 10 " " " 155 ft 16 " "
 63.00 a Brook 12 lbs. wide Cr. S. 19.
 71.55 Intersected the W. boundary 49 lbs. East (^{south}
 to be S.) of the post, set a post Cov. to Sect. 30 & 31, from
 which a sugar 10 in. diam. bran N 37 ft 40 lbs. dist. of
 a Beech 20 " " " 176 ft 11 " "
 Land broken & rich.

Surveyed by Arthur Henrie, D.S. in 1810)

Comp?

2074

I Certify that the foregoing transcript of field notes
of Township N^o. 5 N, Range N^o. 2 E. D. Mer. Indiana
has been compared with the original notes in this
Office, and found to be correct.

Surveyor General's Office
Cincinnati Feb. 20th 1841 *Q. S. Geaires*
Sur. Gen.